



MAX LOAD
125 kg



Brief Description

TUFF Easy Glide steps are an ideal solution for all those out-of-reach places in warehouses, offices and even at home.

Specifications

- Choose from anti-slip or ribbed rubber treads
- Spring-loaded castors with black dome covers
- Castors use grey non-marking tyres
- Choose from 5 different colours
- Max Load: 125kg
- Made in the UK
- Blue Warehouse steps available on Next-Day delivery

Key Features



Choose from Anti-Slip or Ribbed Rubber treads



Spring loaded castors with black dome covers

Available in the following powder coated finishes:



Blue

Red

Yellow

Green

Light Grey



Hassle-free assembly for domed castors



Easy access to out-of-reach places


Configurations

Tread	H x W x D mm	Platform Height mm	Anti-Slip	Ribbed Ruber
2	1100 x 535 x 695	502	74062025	74062029
3	1360 x 535 x 855	780	74062026	74062030
4	1773 x 535 x 1025	1003	74062027	74062031
5	1915 x 535 x 1130	1250	74062028	74062032


TUFF 2 TREAD



- 2 Tread
- Powder coated
- Load capacity 125kg
- Manufactured in the UK



Anti-Slip Treads




Ribbed Rubber Treads


TUFF 3 TREAD



- 3 Tread
- Powder coated
- Load capacity 125kg
- Manufactured in the UK




Anti-Slip Treads




Ribbed Rubber Treads

2 TREAD DIAGRAM



3 TREAD DIAGRAM



Configurations

Tread	H x W x D mm	Platform Height mm	Anti-Slip	Ribbed Ruber
2	1100 x 535 x 695	502	74062025	74062029
3	1360 x 535 x 855	780	74062026	74062030


TUFF 4 TREAD



- 4 Tread
- Powder coated
- Load capacity 125kg
- Manufactured in the UK



Anti-Slip Treads



Ribbed Rubber Treads


TUFF 5 TREAD



- 5 Tread
- Powder coated
- Load capacity 125kg
- Manufactured in the UK




Anti-Slip Treads




Ribbed Rubber Treads

4 TREAD DIAGRAM



5 TREAD DIAGRAM



Configurations

Tread	H x W x D mm	Platform Height mm	Anti-Slip	Ribbed Ruber
4	1773 x 535 x 1025	1003	74062027	74062031
5	1915 x 535 x 1130	1250	74062028	74062032